

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Treatment of db/db Diabetic Mice;




FIGURE 1

Treatment of ob/ob Diabetic Mice




FIGURE 2

Glucose in db/db and ob/ob Diabetic Mice




FIG. 3B

FIG. 3A

Time Course




FIGURE 4

Serum Profile of db/db Mice




FIGURE 5

Serum Profile of ob/ob Mice





FIGURE 6

Serum AST/GOT and ALT/GPT in ob/o b Mice



Enhancement of basal glucose uptake in 3T3-L1 Adipocytes by Compound VIII




FIGURE 8

Figure 9




Figure 10





Figure 11







FIG. 13A. Body Weight




FIG. 13B. Clinical Score




FIG. 13C. Joints Affected





FIG. 13D. Paw Thickness



--○-- Vehicle (10% PEG)
 --●-- CPD VIII (50 mg/kg)
 n=8-9

Fig. 14 Treatment of EAE in SJL/J Mice with Compound VIII

